

Hazard Identification – Quiz

1. What is the best definition of a hazard?
 - a. A condition or circumstance that has a potential for harm.
 - b. An incident that causes injury.
 - c. An upset condition that creates problems in a facility.
 - d. A work area that is disorganized.

2. What is the ultimate purpose of periodic inspections?
 - a. Identify feasible controls for hazards identified on inspection.
 - b. Find out if the work area is neat and organized.
 - c. Investigate injuries.
 - d. Find OSHA violations.

3. Which of the following are good resources for helping identify hazards?
 - a. OSHA guides.
 - b. Company policies.
 - c. Safety Consultants.
 - d. All of the above.

4. What is a technique you can use to predict future incidents?
 - a. Trend analysis
 - b. Incident analysis
 - c. 5 why technique
 - d. Root Cause analysis

5. What should you be looking for during safety inspections? (Choose best answer).
 - a. OSHA violations.
 - b. Conditions and circumstances that can cause harm.
 - c. Company policy violations.
 - d. Housekeeping problems?

6. Which of the following circumstances should be identified on a safety inspection?
 - a. Unguarded edges and holes.
 - b. Damaged electrical equipment.
 - c. Unsafe work practices.
 - d. All of the above

7. Which of these are examples of potential ergonomic hazards?
 - a. A task using forceful exertion.
 - b. A task using poor posture.
 - c. A task using a high frequency repetition.
 - d. All of the above

8. What is the best way to categorize hazards in a work area with elevated walkways and insufficient railings?
 - a. Respiratory hazards.
 - b. Ergonomic hazards.
 - c. Fall hazards.
 - d. All of the above.

9. The first step in solving a newly discovered dust hazard is to:
 - a. Determine if the source of the dust can be mitigated.
 - b. Schedule extra clean-up tasks in the dusty area.
 - c. Assure employees in dusty environment have dust masks.
 - d. Check to be sure if fire-fighting equipment in the dusty area is ready.

10. The safety committee needs to make recommendations to management on how to correct hazards. These recommendations need to:
 - a. Include relevant details about the hazard.
 - b. Include reasonable date for management to respond.
 - c. Have an assigned person to follow-up.
 - d. All of the above.

*End of Quiz - Do not share the following pages with students.

Hazard Identification – Answer Key

For Facilitator - Do not share with students

1. What is the best definition of a hazard?
 - a. **A condition or circumstance that has a potential for harm.**
 - b. An incident that causes injury.
 - c. An upset condition that creates problems in a facility.
 - d. A work area that is disorganized.
2. What is the ultimate purpose of periodic inspections?
 - a. **Identify feasible controls for hazards identified on inspection.**
 - b. Find out if the work area is neat and organized.
 - c. Investigate injuries.
 - d. Find OSHA violations.
3. Which of the following are good resources for helping identify hazards?
 - a. OSHA guides.
 - b. Company policies.
 - c. Safety Consultants.
 - d. **All of the above.**
4. What is a technique you can use to predict future incidents?
 - a. **Trend analysis**
 - b. Incident analysis
 - c. 5 why technique
 - d. Root Cause analysis
5. What should you be looking for during safety inspections? (Choose best answer).
 - a. OSHA violations.
 - b. **Conditions and circumstances that can cause harm.**
 - c. Company policy violations.
 - d. Housekeeping problems?
6. Which of the following circumstances should be identified on a safety inspection?
 - a. Unguarded edges and holes.
 - b. Damaged electrical equipment.
 - c. Unsafe work practices.
 - d. **All of the above**

7. Which of these are examples of potential ergonomic hazards?
 - a. A task using forceful exertion.
 - b. A task using poor posture.
 - c. A task using a high frequency repetition.
 - d. All of the above

8. What is the best way to categorize hazards in a work area with elevated walkways and insufficient railings?
 - a. Respiratory hazards.
 - b. Ergonomic hazards.
 - c. Fall hazards.
 - d. All of the above.

9. The first step in solving a newly discovered dust hazard is to:
 - a. Determine if the source of the dust can be mitigated.
 - b. Schedule extra clean-up tasks in the dusty area.
 - c. Assure employees in dusty environment have dust masks.
 - d. Check to be sure if fire-fighting equipment in the dusty area is ready.

10. The safety committee needs to make recommendations to management on how to correct hazards. These recommendations need to:
 - a. Include relevant details about the hazard.
 - b. Include reasonable date for management to respond.
 - c. Have an assigned person to follow-up.
 - d. All of the above.